

NAME

apvlv - PDF/DJVU/EPUB/HTML/TXT/FB2/CZW viewer with vim-like behaviour

SYNOPSIS

apvlv [options] [file]

DESCRIPTION

apvlv is a PDF/DJVU/EPUB/HTML/TXT/FB2/CZW viewer, which behaves like vim.

OPTIONS

-c *file*

Load configuration from *file* instead of the default *~/.apvlvrc*

-h

Show help message and exit

-v

Show version and exit

COMMANDS

The following command keys can be used inside apvlv. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O Select a directory to display
- t Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T Select a directory to display in a new tab
- R Reload the current file
- r Rotate the document clockwise by 90 degrees
- G Show page number *count*
- gt Show next tab

gT Show previous tab

PageDown, C-f
 Go forward *count* pages

PageUp, C-b
 Go backward *count* pages

C-d Go forward *count* half pages

C-u Go backward *count* half pages

H Scroll to page head

M Scroll to page middle

L Scroll to page bottom

s skip some pages *count*

C-p, Up, k
 Scroll up *count* units

C-n, Down, j
 Scroll down *count* units

Backspace, Left, h
 Scroll left *count* units

Space, Right, l
 Scroll right *count* units

/ *string*
 Search forwards for *string*

? *string*
 Search backwards for *string*

f Toggle between fullscreen and window mode

zi Zoom in

zo Zoom out

zw Zoom to fit window width

zh Zoom to fit window height

m *char*

Mark the current position to *char*, so that it can be recalled by pressing *char*

' *char* Return to the mark position *char*

'' Return to the last position

q Close the current window

ZZ quit the viewer with ZZ, like Vim

c toggle directory display

SETTINGS

These can be set in ~/.apv1vrc with "set *setting* [= *value*]".

fullscreen = yes/no

Enable/Disable fullscreen

width = *int*

Default window width

height = *int*

Default window height

fix_width = *int*

fixed width

fix_height = *int*

fixed height

defaultdir = *path*

Default directory for the open dialogue

zoom = mode

Set default zoom level

normal

The application sets the default zoom value

fitwidth

Fit pages to window width

fitheight

Fit pages to window height

float 1.0 for 100%, 2.0 for 200%, etc.

continuous = yes/no

Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.

autoscrollpage = yes/no

Enable/Disable scrolling the pages when hitting a page tail/head

noinfo = yes/no

Disable/Enable the usage of ~/.apv1vinfo

max_info = int

Max file information will be saved, default is 100

scrollbar = yes/no

Set show scrollbar or not

wrapscan = yes/no

Set wrapscan to search text or not

doubleclick = action

Set default double click action

none Selection nothing

word Selection a word under the cursor to clipboard

`line` Selection a line under the cursor to clipboard

`page` Selection a page under the cursor to clipboard

`guioptions = mTsS`

Weather display menu, toolbar, status and status tool.

`.pdf:engine = MuPDF/Poppler/QtPdf`

Which engine to render .pdf file

`.epub:engine = MuPDF/Web`

Which engine to render .epub file

`.fb2:engine = MuPDF/Web`

Which engine to render .fb2 file

`ocr:lang = eng+chi_sim`

Pretrained languages which tesseract load to process

`notes:dir = dir`

Directory to save ebook notes

`autoreload = int`

If auto reload document after some seconds

`inverted = yes/no`

If use inverted mode for pdf page

`background = color`

Set background color

PROMPT

Like the COMMANDS, but prefixed with a colon:

`:h[elp]`

Display the help document

`:q[uit]` Close the current window

`:o[pen]` *file*

Open *file*

:doc *file*

Load *file* into the current window

:TOtext [*file*]

Translate *file* (or the current page) to a text file

:pr[*int*]

Print the current document

:tabnew

Create a new tab

:sp Horizontally split the current window

:vsp Vertically split the current window

:fp, :forwardpage [*int*]

Go forward *int* pages (1 by default)

:bp, :prewardpage [*int*]

Go backward *int* pages (1 by default)

:g, :goto *int*

Go to page *int*

:z[oom] *mode*

Set zoom to *mode* (see "set zoom" in SETTINGS)

:*int* Go to page *int*

:directory

toggle directory display

AUTHORS

apvlv was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xenox@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel

<foobar@derf.homelinux.org>.